Lenovo 300e Chromebook 2nd Gen 81MB001DUS

Product

Lenovo 300e Chromebook 2nd Gen

Region

NA

Country/Region

USA

Machine Type

81MB

TopSeller

TopSeller

Processor

Intel Celeron N4020 (2C / 2T, 1.1 / 2.8GHz, 4MB)

Graphics

Integrated Intel UHD Graphics 600

Chipset

Intel SoC Platform

Memory

4GB Soldered LPDDR4-2400

Storage

32GB eMMC 5.1

Display

11.6" HD (1366x768) IPS 250nits Anti-glare

Touchscreen

10-point Multi-touch

Optical

None

Media Reader

MicroSD Card Reader

Ethernet

None

WLAN + Bluetooth

Intel 9560 11ac. 2x2 + BT4.2

Case Material

PC / ABS

Camera

720p + World Facing 5.0MP

Microphone

Mono

Color

Black

Keyboard

Non-backlit, English

Fingerprint Reader

None

TPM

Google Security Chip H1

Batterv

Integrated 42Wh

Power Adapter

45W USB-C

Operating System

Chrome OS

Bundled Software

None

Base Warranty

1-vear. Mail-in

Bundled Service

None

EAN / UPC / JAN

194632384567

End of Support

2026-01-09

Announce Date

2019-12-09

Recommended Services

Best

3Y Depot + Accidental Damage Protection (School Year Term) (5PS0N75610)

Better

3Y Depot + Accidental Damage Protection One (School Year Term) (5PS0Z44683)

Good

3Y Depot (School Year Term) (5WS0N75691)

Notes:

California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to: https://www.calrecycle.ca.gov/Electronics/Consumer



WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.



Lenovo 300e Chromebook 2nd Gen Platform Specifications

letel® Colorer® Dressess	0	700s LID fixed fearer single missage as
	Carnera	720p HD, fixed focus, single microphone, optional 5MP World Facing camera, single microphone
Number Cores Threads Frequency Frequency Cache Memory Type Graphics	Audio support Maxim MAX98357A Dialog DA7219, stereo speakers, 2W x 2, single microphone, headphone / microphone combo jack	
N4020 2 2 1.1 GHz 2.8 GHz 4MB LPDDR4 Intel UHD 3400 Graphics 600	Keyboard Touchpad	6-row, Anti-pry Key Caps, spill-resistant One-piece touchpad
Intel UHD Graphics 600 in processor	Security Security chip	Security keyhole Google security chip H1
Intel SoC (System on Chip) platform 4GB or 8GB/ 2400MHz LPDDR4 / soldered to systemboard	Battery type Integrated Li-ion 42Wh battery Max battery life Up to 10hrs * Battery life varies significantly with settings, usage, & other factors.	
11.6" (295mm) HD (1366x768), IPS, anti-glare, anti-fingerprint, LED backlight, 250 nits, 16.9 aspect ratio		
Enhanced Touch, anti-fingerprint, support 10-finger gesture	I——	, , , ,
32GB eMMC 5.1 (embedded Multi Media Card) flash memory on board		Google Chrome OS
ernet None AN Intel 9560, Wi-Fi 2x2 802.11ac + Bluetooth 4.2, M.2 card		Limited warranty One of the following, configurable by model: 1-year mail-in repair service 1-year depot repair service 2-year/1-yr battery depot repair service
WWAN None	Mil-Spec test	MIL-STD-810G military testing
WxDxH: 11.42" x 8.03" x 0.80"; 290mm x 204mm x 20.35mm 1.31 kg (2.9 lb) Black PC/ABS plastic	Environment	Environment EPEAT™ Silver; RoHS-compliant
MicroSD card reader Two USB-C 3.1 Gen 1(with the function of power delivery, DisplayPort and data transfer), two USB-A 3.1 Gen 1, headphone / microphone combo jack, MicroSD card reader, security keyhole * Depending on many factors, actual data transfer speed may be lower than theoretical speed.		
	Number Cores Threads Frequency Frequency Cache Memory Type Graphics	Processor # of Number Cores Threads Frequency Frequency Frequency N4000 2 2 1.1 GHz 2.6 GHz N4020 2 2 1.1 GHz 2.8 GHz N4100 4 4 1.1 GHz 2.4 GHz Intel UHD Graphics 600 in processor Intel SoC (System on Chip) platform 4GB or 8GB/ 2400MHz LPDDR4 / soldered to systemboard 11.6" (295mm) HD (1366x768), IPS, anti-glare, anti-fingerprint, LED backlight, 250 nits, 16:9 aspect ratio Enhanced Touch, anti-fingerprint, support 10-finger gesture 32GB eMMC 5.1 (embedded Multi Media Card) flash memory on board None None Intel 9560, Wi-Fi 2x2 802.11ac + Bluetooth 4.2, M.2 card Bluetooth 4.2 wireless, integrated in Wi-Fi + Bluetooth combo adapter None WxDxH: 11.42" x 8.03" x 0.80"; 290mm x 204mm x 20.35mm 1.31 kg (2.9 lb) Black PC/ABS plastic MicroSD card reader Two USB-C 3.1 Gen 1 (with the function of power delivery, DisplayPort and data transfer), two USB-A 3.1 Gen 1, headphone / microphone combo jack,

Note: The specifications above may not be available in all regions.











